

County Building Regulations

GREENVILLE OFFICE

520 S Broadway

Greenville, OH 45331

Phone: 937-547-7379 - Fax: 937-547-1928

Robert (Rob) England – Chief Building Official

Jason Cantrell & John Filby – Building & Electrical Inspectors

Office Hours: 8:00 - 12:00 & 1:30 - 4:00 PM Monday – Friday

Construction must meet the State minimum insulation requirements as stated below.

Your construction prints MUST reflect ALL Energy Code Compliance requirements.

OWNER'S NAME _____

JOB ADDRESS _____

PHONE # _____ PERMIT # _____

I, the undersigned verify all insulation will be installed as per minimum requirements listed below at the above named job site.

OWNER, CONTRACTOR, OR SUBCONTRACTOR (Print) _____

OWNER, CONTRACTOR, OR SUBCONTRACTOR (Sign) _____ Date _____

This document states which option the Contractor/Homeowner shall use to demonstrate compliance of the 2013 Energy Code requirements.

Check Option to be used:

REScheck or REMcheck - Complete & Sign the Compliance Certificate found @ www.energycodes.gov

Prescriptive Method

Walls	Attic	Floor	Basement
R19	R38	R30	R10 - To floor

Ohio Home Builder's Association Method

Walls	Attic	Floor	Basement
R13	R49	R30	R10 – 4' down

Crawl Space (Vented vs Non-vented) – Check option to be used:

- Vented will require R30 in the floor

- Non-vented – vapor barrier overlapped 24" and the edge of vapor barrier shall extend 6" up the stem wall and be attached to the stem wall.